

Survey of the subdivisions of T. 25 N., R. 46 E.

Chains.	T25N R46E S26 S25 S35 S36 1926
	from which
	A juniper, 10 ins. in diam., bears N. $88\frac{1}{4}$ ° E., 67 lks. distant, marked T25N R46 E S25 BT
	A juniper, 8 ins. in diam.; bears S. 10° E., 271 lks. distant, marked T25N R46E S36 BT
	A juniper, 8 ins. in diam., bears S. $34\frac{1}{4}$ ° W., 135 lks. distant marked T25N R46E S35 BT
	A juniper, 6 ins. in diam., bears N. $75\frac{1}{4}$ ° W., 99 lks. distant, marked T25N R46E S26 BT
	Land, rolling. Soil, light, sandy and gravelly clay. Undergrowth sage; scant growth of grass. Timber, juniper.

	East, on a random line, bet. secs. 25 and 36.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.00	Fall 9 lks. S. of the cor. of secs. 25, 30, 31 and 36, which is an iron post, 2 ins. in diam., firmly set and properly marked and witnessed, as described in the field notes of T. 25 N., R. 47 E. Thence
	S. $89^{\circ} 56'$ W., on a true line, bet. secs. 25 and 36.
	Asc. E. slope 105 ft. over rolling land, through scatter- to medium growth of juniper.
7.50	Top of spur-ridge, projects S. Desc. SW. slope 110 ft.
19.40	Dry wash, drains SW.
20.60	Dry wash, drains S. Asc. E. slope 100 ft.
31.10	Top of spur, projects S. 20° E. Desc. SW. slope 30 ft.
34.40	Dry wash, drains SE. Asc. E. slope 15 ft.
38.60	Top of spur, projects S. Desc. W. slope 10 ft.
40.00	Set an iron post, 3 ft. long, 1 in. in diam., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S25 $\frac{1}{4}$ S36 1926
	from which
	A juniper 4 ins. in diam., bears S. 16° E., 137 lks. distant, marked $\frac{1}{4}$ S36 BT