

Survey of the Subdivisions of T. 26 N., R. 46 E.

Chains

T26N R46E

S11 S12

S14 S13

1925

raise a mound of stone, 3 ft. base, $1\frac{1}{2}$ ft. high W.
of cor.

Land, nearly level. Soil, light, gravelly, rocky, sandy
clay. Undergrowth, sage, shadscale and fair growth of
grass. No timber.

S. $89^{\circ} 45'$ E., on a random line bet. secs. 12 and 13.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 Intersect the cor. of secs. 17, 12, 13 and 18, which is
an iron post, 12 ins. in diam., firmly set and properly
marked and witnessed, as described in the field notes
of T. 26 N., R. 47 E.

Thence

N. $89^{\circ} 45'$ W., on a true line bet. secs. 12 and 13.

Desc. W. slope 110 ft. to wash.

23.10 Road, bears N. 10° E. and S. 10° W.

28.40 Dry wash, course N. Asc. gradual E. slope.

40.02 Set an iron post, 3 ft. long, 1 in. in diam., 27 ins. in
the ground for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 12

S 13

1925

raise a mound of stone, 3 ft. base, $1\frac{1}{2}$ ft. high N. of
cor. Asc. gradually.

46.00 Road, bears SE. and NW. Low spur, projects N.

Descend gradual W. slope.

53.60 Dry wash, course N. 15° W.

60.00 Top of low spur, projects N. Desc. gradual slope 25 ft.
to wash.

65.85 Road, bears NE. and SW.

68.05 Dry wash, course North. Asc. gradual E. slope.

80.04 The cor. to secs. 11, 12, 13, and 14.