

Survey of the Subdivisions of T. 26 N., R. 46 E.

Chains	the ground for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S\ 4 \\ \hline S\ 9 \\ 1925 \end{array}$
	raise a mound of stone, 3 ft. base, $1\frac{1}{2}$ ft. high N. of corner.
42.70	Dry wash, course NE. Asc. E. slope 210 ft. to
56.00	Top of ridge, bears N. and S. Desc. W. slope 160 ft. to
68.45	Dry wash, course N. Desc. 40 ft. to
70.30	Dry wash, course N. 20° E. Desc. 30 ft. to
80.00	The cor. to secs. 4, 5, 8 and 9.
	Land, rolling. Soil, gravel loam. Undergrowth, sagebrush and scant growth of grass. No timber.

	N. $0^{\circ} 05'$ W., on a random line bet. secs. 4 and 5
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.39	Fall 14 lks. E. of the cor. to secs. 4, 5, 32 and 33, which is an iron post, 2 ins. in diam., firmly set and properly marked and witnessed as described in the field notes of T. 27 N., R. 46 E.
	Thence S. $0^{\circ} 11'$ E., on a true line bet. secs. 4 and 5
15.40	Asc. broken SW. slope 140 ft. to Top of ridge, bears NE. and SW. Desc. broken SE. slope 180 ft. to
36.20	Head of wash, course E.
39.39	Set an iron post, 3 ft. long, 1 in. in diam., 8 ins. in ground to solid rock, and 26 ins. in a mound of stone for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{r} S5\ S4 \\ \hline 1925 \end{array}$
	at base of post deposit a granite stone 12 x 12 x 4 ins. marked with cross (X) Asc. NE. slope 130 ft. to
46.10	Top of spur, projects E.
60.90	Dry wash, course E.
79.39	The cor. to secs. 4, 5, 8 and 9.
	Land, rolling. Soil, gravel loam. Undergrowth, sagebrush and scant growth of grass. No timber.
