

Retracement of the W. Bdy. of T. 27 N., R. 46 E.

Chains.

From the old cor. of secs. 7, 12, 13 and 18,
North, on retracement, bet. secs. 7 and 12.

✓ 40.06 Fall 43 lks. W. of the old $\frac{1}{4}$ sec. cor., which is a
quartzite stone, 16 x 8 x 4 ins., firmly set in a
mound of stone, marked $\frac{1}{4}$ on W. face.

✓ The course of this $\frac{1}{2}$ mile is N. $0^{\circ} 37'$ E., and the dist.
is 40.06 chs.

✓ 80.82 Fall 75 lks. W. of the old cor. of secs. 1, 6, 7 and 12,
which is a quartzite stone, 16 x 12 x 8 ins., firmly
set in a mound of stone, marked with 5 grooves on S.
face and 1 groove on N. face.

✓ The course of the N. $\frac{1}{2}$ mile is N. $0^{\circ} 27'$ E. and the
dist. is 40.76 chs.

From the old cor. of secs. 1, 6, 7 and 12,
North, on retracement, bet. secs. 1 and 6.

40.00 After diligent search failed to find any traces of the
old $\frac{1}{4}$ sec. cor. Set temp. point.

✓ 78.47 Fall 429 lks. W. of the old cor. of Ts. 27 and 28 N.,
Rs. 45 and 46 E., which is a quartzite stone, 24 x
8 x 8 ins., firmly set in a mound of stone, marked
with 6 grooves on N., S., E. and W. faces.

✓ The course of this mile is N. $3^{\circ} 08'$ E. and the dist.
is 78.58 chs.

Dependent Resurvey of the W. Bdy. of T. 27 N., R. 46 E.

Alongside the old cor. of Ts. 26 and 27 N., Rs. 45 and
46 E., hereinbefore described, set an iron post, 3 ft.
long, 3 ins. in diam., 27 ins. in the ground, for the
cor. of T. 27 N., Rs. 45 and 46 E., with brass cap mkd.

✓
T27N
R45E | R46E
S36 | S31

S1

T26N R45E

1924

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of
the cor.