

## Dependent Resurvey of the S. Bdy. of T. 28 N., R. 46 E.

Chains.

in the ground, for the  $\frac{1}{4}$  sec. cor. for sec. 6, with  
brass cap mkd.

$\frac{1}{4}$  S6  
1924

Raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, S. of  
the cor.

Asc. 50 ft. along S. slope.

5.40 Dry wash, course SE. Asc. NE. slope 280 ft. along S.  
side of wash.

28.20 Dry wash, course N.  $80^\circ$  E. Asc. SE. slope 230 ft.

39.26 Intersect the old  $\frac{1}{4}$  sec. cor., hereinbefore described.

Alongside, set an iron post, 3 ft. long, 1 in. in diam.,  
27 ins. in the ground, for the  $\frac{1}{4}$  sec. cor. for sec. 31,  
with brass cap mkd.

$\frac{1}{4}$  S31  
1924

Raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, N. of  
the cor.

Asc. SE. slope 330 ft.

47.70 Top of spur, projects S.  $20^\circ$  E. Asc. S. slope 40 ft.

57.20 Top of ridge, bears NE. and SW. Desc. W. slope 450 ft.

77.52 Intersect the cor. of Ts. 27 and 28 N., Rs. 45 and 46 E.,  
hereinbefore described.

Land, rough mountainous. Soil, rocky, gravelly and sandy  
clay. Undergrowth, medium growth of sage and shadscale  
and scant growth of grass.

-----  
Survey of the S. Bdy. of T. 27 N., R. 46 E.  
-----

From the cor. of Ts. 26 and 27 N., R. 46 and 47 E.,  
hereinbefore described,

West, on a random line, setting temp. cors. at 40.00  
and 80.00 chs.

✓ 523.43 Fall 91 lks. N. of the cor. of T. 27 N., Rs. 45 and 46 E.,  
hereinbefore described.

Thence