

Dependent Resurvey of a portion of the S. Bdy. of sec. 31, T. 48 N., R. 34 E.

Chains.	
40.00	Set an iron post, 3 ft. long, 1 in. in diam., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor. for sec. 1, with brass cap mkd. $\frac{1}{4}$ S1
	1924
	Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, S. of the cor.
	Asc. E. slope 50 ft.
41.69	Intersect the old cor. of Ts. 47 and 48 N., Rs. 33 and 34 E., hereinbefore described.
	I remark this corner for the SW. cor. of T. 48 N., R. 34 E., only, as follows:
	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> T48N R34E S31 </div>
	T47N R33E
	1924
	Raise a mound of stone, 3 ft. base, 2 ft. high, NE. of the cor.
	Land, rough mountainous. Soil on crests of ridges and spurs, shallow clay with numerous outcroppings of volcanic rock; soil on lower slopes, creeks and washes, dark sandy, clay loam. Undergrowth, scattering sage and grass. Timber, aspen and willows.
	Retracement of the W. Bdy. of sec. 31, T. 48 N., R. 34 E.
	North, on retracement, on the W. Bdy. of sec. 31. Asc. gradual E. slope over rough mountainous land.
10.00	Point of spur, projects E. Desc. NE. slope 290 ft.
23.20	Spring bears W., 50 lks. dist. Desc. NE. slope 60 ft.
25.11	Spring bears E., 70 lks. dist. Desc. NE. slope 20 ft.
26.40	Spring bears W., 20 lks. dist. Desc. NE. slope 10 ft.
26.80	Creek, course E.; running water, 3 lks. wide, 2 ins. deep. Asc. SE. slope 30 ft.
32.10	Large spring bears E. 75 lks. dist. Asc. 60 ft.
39.00	Dry wash, course SE.
41.26	Intersect the old closing cor. of T. 48 N., Rs. 33 and