

Retracement of the S. Bdy. of T. 47 N., R. 33 E.

Chains.

82.11 Fall 77 lks. S. of the old cor. of secs. 5, 6, 31 and 32, which is a volcanic stone, 20 x 18 x 8 ins., set in a mound of stone, marked with 5 grooves on E. face; 1 groove on W. face and 6 grooves on S. face.
The course of the W. $\frac{1}{2}$ mile is N. $89^{\circ} 47'$ W., and the dist. is 41.06 chs.

10.41 Fall 10 lks. From the cor. of secs. 5, 6, 31 and 32, which is a volcanic stone, 20 x 18 x 8 ins., set in a mound of stone, marked with 5 grooves on E. face; 1 groove on W. face and 6 grooves on S. face.
The course of this $\frac{1}{2}$ mile is N. $89^{\circ} 47'$ W., and the dist. is 40.06 chs.

77.91 Fall 45 lks. S. of the cor. of Ts. 46 and 47 N., R. 33 E., which is a granite stone, 18 x 12 x 6 ins. above ground, firmly set in a mound of stone, with mound of stone E. of cor.; marked 6 grooves on N., S. and E. faces.
The course of the W. $\frac{1}{2}$ mile is N. $88^{\circ} 54'$ W., and the dist. is 37.86 chs.

Dependent Resurvey of the S. Bdy. of T. 47 N., R. 33 E.

From the cor. of Ts. 46 and 47 N., R. 33 E., hereinbefore described, N. $89^{\circ} 29'$ W., on a true line, on the N. Bdy. of sec. 1, T. 46 N., R. 33 E.

Desc. SW. slope 110 ft. over rolling mountainous land.

5.40 Dry wash, course S. 20° W. Asc. SE. slope 80 ft.

21.90 Top of ridge, bears NE. and SW. Desc. NW. slope 290 ft.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 27 ins.

in the ground, for the $\frac{1}{4}$ sec. cor. for sec. 36, with brass cap mkd.

Deposit a granite stone, 10 x 8 x 6 ins., with cross

marked (x), at base of post.

S36
1924