

Survey of the subdivisions of T. 47 N., R. 33 E.

Chains.

T47N	R33E
S11	S12
S14	S13
1924	

From which

An aspen, 6 ins. in diam., bears S.  $35\frac{1}{2}^{\circ}$  E., 360 lks. dist., marked T47N R33E S13 BT

A granite boulder, 6 x 5 x 4 ft. above ground with cross marked (x) and B0 bears N.  $36\frac{1}{2}^{\circ}$  W., 30 lks. dist.

No other bearing trees or objects available.

Deposit a granite stone, 6 x 5 x 4 ins., with cross marked (x), at base of post.

Land, rolling. Soil, sandy, gravelly and rocky-clay.

Undergrowth, medium to dense growth of sage and scant growth of grass.

S.  $89^{\circ} 46'$  E., on a random line, bet. secs. 12 and 13.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

79.72 Fall 12 lks. S. of the cor. of secs. 12 and 13, on the E. Bdy. of the township, which is an iron post, 2 ins. in diam., firmly set and properly marked and witnessed as described in the field notes of T. 47 N., R. 34 E.

Thence

N.  $89^{\circ} 51'$  W., on a true line, bet. secs. 12 and 13.

Desc. gradual W. slope over rolling land.

1.50 Dry wash, course SW. Asc. gradually along general S. slope.

13.30 Dry wash, course SW. Asc. gradual SE. slope.

24.50 Top of spur, projects S. Continue along general S. slope.

29.50 Top of spur, projects S. Desc. gradual SW. slope.

35.60 Dry wash, course S.  $30^{\circ}$  W. Asc. gradually along S. slope.

39.86 Set an iron post, 3 ft. long, 1 in. in diam., 27 ins. in the ground, for the  $\frac{1}{4}$  sec. cor., with brass cap mkd.

S12
$\frac{1}{4}$
S13
1924

Raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, N.

of the cor. of the township, which is an iron post, 2 ins. in diam., firmly set and properly marked and witnessed as described in the field notes of T. 47 N., R. 34 E.

46.00 Dry wash, course S.  $30^{\circ}$  E. Asc. SE. slope 50 ft.

53.20 Top of spur, projects S. Desc. SW. slope 80 ft.