

## Survey of the subdivisions of T. 47 N., R. 33 E.

## Chains.

- 10.90 Top of short spur, projects S. Desc. W. slope 90 ft.  
 18.60 Dry wash, course S. 20° E. Asc. along S. slope 230 ft.  
 36.00 Dry wash, course SE. Asc. SE. slope 110 ft.  
 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 27 ins.

in the ground, for the  $\frac{1}{4}$  sec. cor., with brass cap  
 mkd.

$\frac{1}{4}$  S7  
 S18  
 1924

Raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, N.  
 of the cor.

Asc. SE. slope 540 ft.

- 58.10 Top of spur, projects S. Desc. W. slope 130 ft.  
 67.90 Dry wash, course SW. Asc. SE. slope 290 ft.  
 88.48 Intersect the W. Bdy. of the township, at a point,  
 North, 16.38 chs. dist. from the cor. of secs. 12  
 and 13, T. 47 N., R. 32 E., hereinafter described.  
 At the point of intersection, set an iron post, 3 ft.  
 long, 2 ins. in diam., 22 ins. in the ground, to  
 solid rock, in a mound of stone, for the closing  
 cor. of secs. 7 and 18, with brass cap mkd.

T47N | T47N  
 S7 | S7 C  
 R32E | S18 C  
 S12 | R33E  
 1924

Deposit a volcanic stone, 8 x 7 x 5 ins., with cross  
 marked (x), at base of post.

Land, rough mountainous. Soil, sandy, gravelly and  
 rocky clay. Undergrowth, medium growth of sage and  
 scant growth of grass.

- From the cor. of secs. 7, 8, 17 and 18,  
 N. 0° 04' W., on a true line, bet. secs. 7 and 8.  
 Asc. SE. slope 70 ft. over rough mountainous land.  
 5.30 Top of low spur, projects E. Desc. N. slope 60 ft.  
 9.00 Dry wash, course E. Asc. 30 ft. along E. slope.  
 21.50 Dry wash, course E. Asc. 50 ft. along E. slope.  
 29.50 Dry wash, course S. 70° E. Asc. 80 ft. along E. slope.