

Dependent Resurvey E. boundary T. 31 N., R. 29 E.

- Chains
- The bearing of this half mile is, therefore N. 0° 01' W.,
and the distance 40.11 chs.
- N. 0° 13' W., on retracement from sec. cor., between
secs. 1 and 6
- 39.43 Intersect the old $\frac{1}{4}$ sec. cor., which is an eruptive stone,
marked and witnessed as described in the original field
notes, alongside which
- Set an iron post, 3 ft. long, 1 in. dia., 16 ins. in
rocky ground, in a mound of stone, for the $\frac{1}{4}$ sec. cor.
of sec. 1 only, with brass cap mkd.
- $\frac{1}{4}$
Sl
- 1927
- At base of post deposit a marked (X) stone, 3x4x5 ins.
- The bearing of this half mile is, therefore N. 0° 13' W.,
and the distance 39.43 chs.
- Thence,
- N. 0° 16' W., on retracement from $\frac{1}{4}$ sec. cor., continuing
measurement.
- 40.00 Intersect the old $\frac{1}{4}$ sec. cor., which is an eruptive
stone, 3x6x18 ins., 10 ins. above solid rock mound
for $\frac{1}{4}$ sec. cor. of sec. 6 marked and witnessed as
described in field notes.
- 79.48 Intersect the cor. of Ts. 31 and 32 N., Rs. 29 and 30 E.,
which is a 3 in. iron post, firmly set in the ground,
marked and witnessed as described in the original field
notes.
- The bearing of this half mile is, therefore N. 0° 16' W.,
and the distance 40.05 chs.

Dependent Resurvey of portion of
Sixth Standard Parallel North

- From the Standard Cor. of T. 31 N., Rs. 29 and 30 E
West on retracement along S. boundary of sec. 36
- 40.00 Fall 9 lks. S. of the old standard $\frac{1}{4}$ sec. cor., which is
a volcanic stone, firmly set in the ground, marked and
witnessed as described in the original field notes,
alongside which