

Survey of E. boundary T. 27 N., R. 52 E.

- Chains Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, E. of cor.
 6.70 Low flat spur, projects E., heads about 3 chs. W.
 Desc. NE. slope 55 ft. to
 13.95 Ravine, drains E., heads about 10 chs. W.
 Asc. SE. slope 15 ft. to
 16.35 Low flat spur, projects E. Desc. along NE. slope 90 ft.
 to
 38.45 Small ravine, drains E., heads about 10 chs. W.
 Asc. SE. slope 10 ft. to
 39.95 Spur, projects E. Thence along E. slope
 40.00 Set an iron post, 3 ft. long, 1 in. dia., 6 ins. in the
 ground to solid rock, in a mound of stone, for the $\frac{1}{4}$
 sec. cor. of sec. 1 only, with brass cap mkd

 $\frac{1}{4}$

S1

1926

No suitable trees available within limits

At base of post deposit a marked (X) stone, 6x4x2 ins

- 44.82 Set an iron post, 3 ft. long, 1 in. dia., 27 ins. in the
 ground, for the $\frac{1}{4}$ sec. cor. of sec. 6 only, with brass
 cap mkd

 $\frac{1}{4}$

S6

1926

No suitable trees available within limits

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, E. of cor.

- 49.70 Ravine, drains NE.
 85.10 Intersect N. bdy. of twp. N. $89^{\circ} 54'$ W., 3.24 chs. from
 the cor. of T. 28 N., Rs 52 and 53 E., and at point
 of intersection
 Set an iron post, 3 ft. long, 3 in. dia., 27 ins. in the
 ground, for the closing cor. of T. 27 N., Rs. 52 and
 53 E., with brass cap mkd

T28N R52E

S36

S1 S6

R52E R53E

1926

CC