

Subdivisions T. 28 N., R. 54 E.

- Chains N. $89^{\circ} 57'$ E., on a random line bet. secs. 4 and 9
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.98 Fall 12 lks. N. of the cor. of secs. 3, 4, 9 and 10
 Thence
 N. $89^{\circ} 58'$ W. on true line bet. secs. 4 and 9
 Over rolling bench land.
 39.99 Set an iron post, 3 ft. long, 1 in. in dia., 27 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd

S 4
 ────
 S 9
 1926

- Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
 72.40 Wash, 30 lks. wide, 2 ft. deep, Drains NE.
 Asc. SE. slope 70 ft. to
 79.98 The cor. of secs. 4, 5, 8 and 9
 Land, rolling bench. Soil, gravelly and rocky,
 Timber, none. Undergrowth, sagebrush.
 Grazing, poor. General drainage, E.

- N. $0^{\circ} 17'$ W., on a random line bet. secs. 4 and 5
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.18 Intersect N. bdy. of twp. 18 lks. W. of the cor. of
 secs. 32 and 33, T. 29 N., R. 54 E., which is a 2 in.
 iron post, firmly set in the ground, properly mkd. and
 witnessed as described in the field notes of survey of
 T. 29 N., R. 54 E., under Group No. 94. I change
 markings to read as follows:-

T29NR54E

S32 | S33

S5 | S4

T28N
 1926

- Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
 Thence
 S. $0^{\circ} 09'$ E., on true line bet. secs. 4 and 5
 Over rolling land. Desc. gentle S. slope
 4.70 Draw, drains E. Asc. gentle NE. slope
 11.40 Spur, projects E. Desc. S. slope 20 ft. to
 13.50 Draw, drains SE. Thence along E. slope