

SURVEY OF E. BOUNDARY T. 26 N., R. 40 E.

Chains	$\frac{1}{4}$ S12   S7 1928
	At base of post deposit a mkd(X) shale rock; 6x4x4 ins.
41.00	Asc. steep rocky SW. slope 250 ft. to
55.55	Ridge, bears S. 20° E. and N. 20° W.
	Asc. steep rocky SE. slope 85 ft. to
61.75	Same ridge, bears NE. and SW.
	Desc. along rocky W. slope 60 ft. to
71.70	Asc. SW. slope 25 ft. to
80.00	Set an iron post, 3 ft. long, 2 ins. dia., 10 ins. in the ground to solid rock, in a mound of stone, for the cor. of secs. 1, 6, 7, and 12, with brass cap mkd
	T26N R40E   R41E S1   S6 S12   S7 1928
	At base of post deposit a mkd(X) lava stone; 4x4x4 ins.
	Land, rough mountainous. Soil, rocky.
	Timber, scattering, juniper. Undergrowth, sage.
	General drainage, SE. and SW. Grazing, poor.
	North, between secs. 1 and 6
	Over rough mountainous land through scattering timber
	Desc. steep rocky NW. slope 750 ft. to
22.30	Ravine, drains S. 75° W.
	Asc. SW. slope 185 ft. to
30.40	Spur, projects W.
	Desc. steep rocky NW. slope 970 ft. to 67.35
40.00	Set an iron post, 3 ft. long, 1 in. dia., 6 ins. in the ground to solid rock, in a mound of stone, for the $\frac{1}{4}$ sec. cor., with brass cap mkd