

Survey of a portion of the subdivisions of T.28 N., R.41 E.

Chains.

From the cor. of secs. 4, 5, 32 and 33, on the S. Bdy. of the township, which is an iron post, 3 ins. in diam., firmly set, properly marked and witnessed, as described in the field notes of T. 27 N., R. 41 E., N. 0° 03' W., bet. secs. 32 and 33.

Desc. N. slope 20 ft. over rolling mountainous land.

3.10 Dry wash, course E. Asc. S. slope 80 ft.

11.20 Top of spur, projects E. Desc, NW. slope 150 ft.

30.50 Dry wash, drains NE. Asc. S. slope 90 ft.

40.00 Set an iron post, 3 ft. long, 1 in. in diam., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{c} \frac{1}{4} \\ \text{S32} | \text{S33} \\ 1926 \end{array}$$

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of the cor.

Asc. S. slope 60 ft.

46.80 Top of spur, projects E. Desc. N. slope 20 ft.

53.80 Dry wash, drains E. Asc. S. slope 20 ft.

57.30 Top of spur, projects N. 60° E. Desc. N. slope 60 ft.

61.20 Dry wash, drains NE. Asc. S. slope 40 ft.

68.00 Top of spur, projects NE. Desc. N. slope 60 ft.

76.20 Dry wash, drains NE. Asc. S. slope 30 ft.

80.00 Set an iron post, 3 ft. long, 2 ins. in diam., 12 ins. in the ground, to solid rock, in a mound of stone, 4 ft. base, 24 ins. high, for the cor. of secs. 28, 29, 32 and 33, with brass cap mkd.

$$\begin{array}{c} \text{T28N} | \text{R41E} \\ \text{S29} | \text{S28} \\ \text{S32} | \text{S33} \\ 1926 \end{array}$$

At base of post, deposit a granite stone, 8 x 8 x 6 ins. marked with cross (x) Pits impracticable and no other accessories available.

Land, rolling mountainous. Soil, light, sandy, gravelly and rocky clay. Undergrowth, shadscale; scant growth of grass. Timber, scattering to medium growth of scrub juniper.