

Survey of the subdivisions of T. 23 N., R. 46 E.

Chains.

in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{r} S5 \\ \frac{1}{4} \text{ --- } \\ S8 \\ 1925 \end{array} \quad \checkmark$$

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of the cor.

Asc. gradual NE. slope 130 ft.

79.88 The cor. of secs. 5, 6, 7 and 8.

Land: E. half, broken and mountainous; W. half, rolling.

Soil, light, sandy, gravelly and rocky clay. Undergrowth, sage and good growth of grass. Timber, scattering juniper.

N. $89^{\circ} 53'$ W., on a random line, bet. secs. 6 and 7.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

92.98 Fall 24 lks. S. of the cor. of secs. 1, 6, 7 and 12, which is an iron post, 2 ins. in diam., firmly set, and properly marked and witnessed, as described in the field notes of T. 23 N., R. 45 E.

Thence

✓ S. $89^{\circ} 44'$ E., on a true line, bet. secs. 6 and 7.

Desc. SE. slope 60 ft. over mountainous land.

7.50 Creek, running water, 1 lk. wide, 1 in. deep, course NE. Asc. NW. slope 170 ft.

17.70 Top of spur, projects NE. Desc. NE. slope 140 ft.

24.50 Dry wash, course NE. Asc. NW. slope 30 ft.

32.70 Top of spur, projects NE. Desc. NE. slope 200 ft.

52.98 Set an iron post, 3 ft. long, 1 in. in diam., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.

$$\begin{array}{r} S6 \\ \frac{1}{4} \text{ --- } \\ S7 \\ 1925 \end{array} \quad \checkmark$$

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of the cor.

Desc. NE. slope 80 ft.

66.00 Dry wash, course SE. Asc. SW. slope 30 ft.

76.70 Top of spur, projects SE. Desc. E. slope 40 ft.

85.00 Dry wash, course NE.