

DEPENDENT RESURVEY OF PORTION OF EAST BOUNDARY

T. 19 N., R. 39 E.

Chains Land, S. 54 chs. rolling mountainous, N. 26 chs.
 mountainous. Soil, sandy loam in bottoms, rocky on
 slopes. 3rd. rate. Timber, none.
 General drainage, E. Grazing, poor.

DEPENDENT RESURVEY OF PORTION OF SOUTH BOUNDARY

T. 19 N., R. 39 E.

REESTABLISHMENT OF SURVEYS EXECUTED BY
 BARKER AND McCLELLAN, U. S. DEPUTY SURVEYORS
 IN 1879

Random lines

From the cor. of secs. 2, 3, 34, and 35, on S. bdy. of
 twp., hereinafter described

S. 89° 47' W., along N. bdy. sec. 3, T. 18 N., R. 39 E

40.10 Fall 21 lks. N. of the $\frac{1}{4}$ sec. cor., hereinafter described

The bearing of this half mile therefore is S. 89° 29' W.,
 and the distance 40.10 chs.

From the $\frac{1}{4}$ sec. cor.

S. 89° 47' W., with continuous measurement

80.09 Fall 21 lks. N. of the sec. cor., hereinafter described

The bearing of this half mile therefore is S. 89° 29' W.,
 and the distance 39.99 chs.

True lines

The original cor. of secs. 2, 3, 34, and 35 is a trap
 stone, 24x18x12 ins., firmly set in the ground, in
 good state of preservation, and marked with 2 notches
 on E. and 4 notches on W. faces; no accessories to cor.

Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

Thence from the cor. of secs. 2, 3, 34, and 35

S. 89° 29' W., along N. bdy. sec. 3, T. 18 N., R. 39 E.

Over rolling mountainous land

General ascent of 135 ft. to 70.00

6.50 Draw, drains S. 30° E.

40.10 The original $\frac{1}{4}$ sec. cor., which is a trap stone, 16x9x8

ins., firmly set in the ground, and marked with $\frac{1}{4}$ on

N. face; no accessories to cor.

Alongside original $\frac{1}{4}$ sec. cor.