

## DEPENDENT RESURVEY OF SUBDIVISION OF T. 36 N., R. 48 E.

Chains

W.; 75 ft. below spur; ascend S. slope.  
 79.74 Proportionate point, on S. slope 100 ft. above draw.  
 Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in  
 the ground for cor. of secs. 13, 14, 23 and 24, with  
 brass cap marked

T36N	R48E
S 14	S 13
S 23	S 24

1930

Raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high W. of  
 cor.

Land, rolling hills.

Soil, shallow gravelly loam on a subsoil of hard, rocky  
 clay; 2nd to 3rd rate.

No timber.

Undergrowth, medium dense sagebrush from 1 to 3 ft.

high; medium growth of grass and weeds.

Good grazing land.

From the cor. of secs. 13, 18, 19 and 24 on E. bdy. of  
 Tp., which is an iron post, 3 ins. diam., extending  
 12 ins. above the ground with brass cap marked

T36N	
R48E	R49E
S 13	S 18
S 24	S 19

1914

Cor. is witnessed by pits and a mound of earth.

Thence

S. 89° 15' W., bet. secs. 13 and 24.

Ascend over rolling hills, through medium dense  
 undergrowth.

1.30 Spur, projects S.; descend W. slope.

14.60 Draw, 70 ft. below spur, drains S.; ascend E. slope.

26.50 Ridge and divide between the drainage of Antelope Draw  
 and Boulder Creek, brs. NE. and SW.; descend W. slope.