

DEPENDENT RESURVEY SOUTH BOUNDARY OF T.39 N., R.48 E.

Chains	
64.65	Bottom of large draw, 230 ft. below spur, drains N. and comes from the SE.; ascend steep E. slope 175 ft. to
81.38	Proportionate point on rocky E. slope. Set an iron post, 3 ft. long, 2 ins. in dia., 6 ins. in the ground on solid rock and in a large mound of stone for cor. of secs. 5,6,31, and 32, with brass cap marked
	<div> <div>T39N</div> <div>S31</div> <div>S6</div> <div>T38N</div> <div>1929</div> <div>R48E</div> <div>S32</div> <div>S5</div> </div>
	Deposit a basalt stone, 10x4x2 ins., marked with a cross (+) on one face at base of monument.
	Land, mountainous; general N. exposure and drainage.
	Soil, shallow brown sandy clay loam and rocky of volcanic formation; 3rd. and 4th. rates.
	No timber.
	Undergrowth, sagebrush, shadscale and native grasses.
	S.89°55'W., bet. secs. 6 and 31.
	Ascend steep NE. slope over mountainous land through sagebrush undergrowth.
12.30	Spur, 300 ft. above sec. cor., projects N.; descend along N. slope.
24.60	Begin descent over general W. slope.
34.60	Thence along general S. slope of spur projecting W.
40.69	The original $\frac{1}{4}$ sec. cor., which is a basalt stone, 14x7x6 ins., firmly set in an old deeply embedded mound of stone, and marked $\frac{1}{4}$ on N. face.
	Alongside cor.,
	Set an iron post, 3 ft. long, 1 in. in dia., 6 ins. in the ground on solid rock and in a large mound of stone, with brass cap marked
	<div> <div>S31</div> <div>S6</div> <div>1929</div> </div>