

## Completion of subdivisions, T. 29 N., R. 22 E.

Chains.	Desc. 60 ft. over NW. slope.
48.50	Wash, drains NE.; seasonal flow of water; spring heads about 3.00 chs. SW. in wash. Asc. 10 ft.
50.00	Desc. 30 ft. over rolling NE. slope.
58.20	Dry wash, drains NE. Asc. 30 ft. over SE. slope.
74.60	Top of spur-ridge, slopes NE. Desc. 60 ft. over NW. slope.
80.00	Intersect the N. Bdy. of township, at a point, West, 1.89 chs. distant, from the cor. of secs. 4, 5, 32, and 33, which is an iron post, 3 ins. in diam., firmly set, marked and witnessed, as described in the field notes of T. 30 N., R. 22 E. The markings on this corner changed to refer to secs. 32 and 33 only. At the point of intersection, set an iron post 3 ft. long, 2 ins. in diam., 27 ins. in the ground, for the closing cor. of secs. 4 and 5, with brass cap marked
	<div style="text-align: center;">           T30N R22E            S32            S5 S4            T29N R22E            C C            1928         </div>
	Raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, S. of the cor.
	Land; rolling mountainous.
	Soil; rocky and gravelly clay.
	Undergrowth; medium growth of sage.
	Fair growth of grass.
	-----
	The $\frac{1}{4}$ sec. cor. of secs. 4 and 33, on the N. Bdy. of the township, which is an iron post, 1 in. in diam., marked and witnessed, as described in the field notes of T. 30 N., R. 22 E., I change to refer to sec. 33 only. Thence West
1.94 $\frac{1}{2}$	Set an iron post 3 ft. long, 1 in. in diam., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor. of sec. 4 only, with brass cap marked
	<div style="text-align: center;"> <math>\frac{1}{4}</math> S4            1928         </div>