

## Survey of the subdivisions of T. 44 N., R. 25 E.

Chains.	North on a random line, bet. secs. 2 and 3.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
45.92	Fall 18 lks. W. of the cor. of secs. 2 and 3 on the N. Bdy. of the township, thence S. $0^{\circ} 16'$ W. on a true line, bet. secs. 2 and 3. Desc. SW. slope 30 ft. over rolling mountainous land.
5.92	Set an iron post 3 ft. long, 1 in. in diam., 28 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \text{S3} \mid \text{S2} \\ 1927 \end{array}$
	Raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, W. of the cor.
	Desc. SW. slope 30 ft.
13.80	Dry wash, drains W. Asc. NW. slope 30 ft.
18.80	Top of spur, projects W. Desc. SW. slope 70 ft.
29.70	Dry wash, drains NW. Asc. NE. slope 130 ft.
45.92	The cor. of secs. 2, 3, 10 and 11. Land: rolling mountainous. Soil: rocky and gravelly clay. Undergrowth: medium growth of sage. Fair growth of grass.
	From the cor. of secs. 3, 4, 33 and 34 on the S. Bdy. of the township, which is an iron post, 2 ins. in diam., firmly set and properly marked and witnessed, as described in the field notes of T. 43 N., R. 25 E.
	N. $0^{\circ} 02'$ W. bet. secs. 33 and 34. Desc. broken and rocky NE. slope 270 ft. over mountainous land, to dry wash.
3.00	Fence bears E. and W.
5.10	Dry wash, drains E. Asc. broken and rocky SE. slope 220 ft.
10.50	Top of rocky spur, projects S. $80^{\circ}$ E. Desc. 50 ft.
15.50	Asc. rocky SE. slope 310 ft.
28.70	Top of rocky spur, projects E. Desc. over vertical cliff 100 ft. high, facing N.