

Independent Resurvey of Second Standard Parallel North
Through Range 28 East

Chains	Asc. along steep rocky SW. slope 525 ft. to spur
40.40	Set an iron post, 3 ft. long, 1 in. dia., 18 ins. in the ground to solid rock, in a mound of stone, for the witness cor. to the standard $\frac{1}{4}$ sec. cor., with brass cap mkd <div style="text-align: center;"> SC $\frac{1}{4}$ S 36 WC </div> 1929 At base of post deposit a mkd(X)granite stone, 8x8x10 ins.
68.30	Rocky spur, projects S. 45° E. Desc. steep rocky SE. slope 355 ft. to
80.00	Find no trace of standard township cor. Set an iron post, 3 ft. long, 3 ins. dia., 16 ins. in the ground to solid rock, in a mound of stone, for the standard cor. of T. 11N., Rs. 28 and 29 E., with brass cap mkd <div style="text-align: center;"> T11N R28E SC R29E S36 S31 1929 </div> At base of post deposit a mkd(X)granite stone, 3x6x8 ins. Mt. Grant U. S. G. S. station, bears S. 0° 11' W. Land, rough mountainous. Soil, rocky with numerous rock slides and large boulders. Timber, pinon. Undergrowth, sage and willow. General drainage, SE. Grazing, poor.

GENERAL DESCRIPTION.

That portion of this survey lying west of summit of Walker River Range ranges in topography from rolling at its western extremity to rough mountainous at top of range. The elevation above sea level being about 6200 feet at the standard township corner and 8300 at the summit. The remainder of the survey traverses an entirely rough mountainous country, practically all of the slopes being precipitous in nature.