


SURVEY OF WEST BOUNDARY T. 11 N., R. 52 E.

Chains

From the std. cor. of T. 11 N., Rs. 51 and 52 E., which is a 3 in. iron post, firmly set in the ground, properly marked with mound of stone N. of cor. North on a random line setting temp.  $\frac{1}{4}$  sec. and sec. cor. at regular intervals of 40.00 and 80.00 chs., and at 480.03 Intersect S. bdy. of T. 12 N., R. 51 E., West 5.47 chs. from the cor. of Ts. 11 and 12 N., Rs. 51 and 52 E., which is a 3 in. iron post, firmly set in the ground, properly marked with mound of stone S., I change markings to read



Raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

From the std. cor. of T. 11 N., Rs. 51 and 52 E.

North between secs. 31 and 36


Over rolling mountainous land through scattering timber Gradual ascent along W. slope 10 ft. to

7.00 Swale, drains S.  $30^\circ$  W., heads about 20 chs. N.  $20^\circ$  E.

Asc. SE. slope 215 ft. to

38.70 Top of spur. Desc. N. slope 110 ft. to 51.45

40.00 Set an iron post, 3 ft. long, 1 in. dia., 27 ins. in the ground, for the  $\frac{1}{4}$  sec. cor., with brass cap mkd



Raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, W. of cor. Cor. sets at N. edge of spur, projects W.

48.00 Wash in S. edge of draw, 20 lks. wide,  $4\frac{1}{2}$  ft. deep, drains W.