

DEPENDENT RESURVEY OF PORTION OF SOUTH BOUNDARY OF  
T. 20 N., R. 53 E.

Chains	
	North on retracement bet. secs. 1 and 6.
40.00	Find no trace of original Tp. cor., and set temp. point for the cor. of Tps. 19 and 20 N., Rs. 52 and 53 E. The temp. point previously set is 1.54 chs. S. and 1.13 chs. W. Thence
	On same line with continuous measurement along W. bdy. sec. 31.
30.00	Find no trace of original $\frac{1}{4}$ sec. cor.
113.62	Fall 3.95 lms. E. of the original sec. cor., hereinafter described. The proportionate latitude for each half mile therefore is 33.54 chs. True lines.
	From the cor. of secs. 33 and 34, on S. bdy. of Tp. West, along S. bdy. sec. 33.
	Over mountainous bench land, through scattering second growth timber and dense undergrowth.
	General descent along broken NW. slope 105 ft. to 80.20 chs.
.75	Road, bears N. 15° W. and S. 15° E.
6.10	Leave timber, bears N. 45° E. and S. 55° W.
14.00	Base of low hills, bears NE. and SW. Thence over rolling land.
25.70	Unused road, bears N. and S.
40.10	Proportionate point for $\frac{1}{4}$ sec. cor. Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground, for the $\frac{1}{4}$ sec. cor. of sec. 33, with brass cap mkd.
	<u><math>\frac{1}{4}</math> S 33</u>
	1327
	Cor. surrounded by a mound of stone.
	Broken glass deposited at the base of post.
66.30	Road, bears N. 45° W. and S. 45° E.
80.20	The original sec. cor., which is a cedar post, 18 ins. long, 3 ins. square, with markings practically obliterated, lying on top of ground on trace of old mound of earth. In center of mound,