

548

DEPENDENT RESURVEY OF WEST BOUNDARY T. 21 N., R. 53 E.

Chains

cur. line
set out
Report made

 $\frac{1}{4}$

S6

1933

dig pits,

18x18x12 ins., N. and S. of post, 3 ft. dist.

80.00

Proportionate point for Tp. cor., which is 480.00 chs. in latitude N. of the stan. SE. cor. of T. 21 N., R. 52 E., and 478.10 chs. in departure W. of the cor. of Tps. 21 N., Rs. 53 and 54 E.

Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground, with a glass bottle deposited at the base, for the cor. of Tps. 21 N., Rs. 52 and 53 E., with brass cap mkd.

S1

S6

R52E

R53E

T21N

1933

dig pits,

18x18x12 ins., E., S., and W. of post, 3 ft. dist.

Land, gently rolling.

Soil, 27 ins. clay loam, 2nd rate.

Timber, none.

Undergrowth, sagebrush, white sage.

General drainage, NE.

Grazing, poor.

DEPENDENT RESURVEY OF NORTH BOUNDARY T. 21 N., R. 53 E.

REESTABLISHMENT OF SURVEYS EXECUTED BY E. L. BRIDGES
AND J. W. EATON, U. S. DEPUTY SURVEYORS IN 1879.

True lines.

From the cor. of Tps. 21 N., Rs. 53 and 54 E.

S. 88° 07' W., along N. bdy. sec. 1.

Over gently rolling land, through dense undergrowth.

7.70

Improved highway, bears E. 20° E. to Elko and S. 20° W. to Eureka.

37.90

Unused road, bears N. 20° W. and S. 20° E.

40.02

Proportionate point for $\frac{1}{4}$ sec. cor.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with a glass bottle deposited at the base, for the $\frac{1}{4}$ sec. cor. of sec. 1, with brass cap mkd.

 $\frac{1}{4}$ S 1

1933

dig pits,

18x18x12 ins., E. and W. of post, 3 ft. dist.

80.04

Proportionate point for sec. cor.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with a glass bottle deposited at the base, for the cor. of secs. 1 and 2, with brass cap mkd.