

Survey of a portion of the N. Bdy. of T. 45 N., R. 24 E.

- Chains. East on a true line, bet. secs. 1 and 36.
Gradual descent over slightly rolling mesa.
- 40.00 Set an iron post, 3 ft. long, 1 in. in diam., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.
- $\frac{1}{4}$ S36
S1
1927
- Raise a mound of stone 3 ft. base, 2 ft. high, N. of the cor.
- 61.00 Shallow dry wash, drains N. 50 lks. to rim 20 ft. high on S. end of pond. Asc. gradual NW. slope.
- 80.00 Intersect the cor. of Ts. 45 and $45\frac{1}{2}$ N., R. 24 E.
Land: slightly rolling mesa.
Soil: heavy rocky clay strewn with much surface rock of volcanic origin.
Undergrowth: sage. Fair growth of grass.

Survey of the subdivisions of T. 45 N., R. 24 E.

- From the cor. of secs. 25 and 36 on the E. Bdy. of the township,
West on a sectional correction line, bet. secs. 25 and 36.
Asc. NE. slope 110 ft. over rolling and hilly land.
- 12.60 Desc. 15 ft. to dry wash.
- 17.20 Dry wash, drains NE. Asc. SE. slope 80 ft.
- 32.60 Slope changes to NE. Asc. 10 ft.
- 40.00 True point for the $\frac{1}{4}$ sec. cor. subsequently determined.
Set an iron post, 3 ft. long, 1 in. in diam., 27 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S25
S36
1927

Raise a mound of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, N. of the cor.