

DEPENDENT RESURVEY NORTH BOUNDARY OF T. 27 N., R. 50 E.

Chains From the $\frac{1}{4}$ sec. cor.
 West, with continuous measurement
 77.90 Intersect closing cor. of Ts. 27 and 28 N., R. 50 E.,
 hereinafter described
 The bearing of this half mile therefore is West, and the
 distance 37.90 chs.

True lines

The original cor. of Ts. 27 and 28 N., Rs. 50 and 51 E.,
 is an andesite stone, 18x8x8 ins., firmly set in the
 ground, marked with 6 notches on N., E., S., and W. faces,
 with mound of stone S. of cor.

Alongside original cor.
 Set an iron post, 3 ft. long, 3 ins. dia., 27 ins. in the
 ground, for the cor. of Ts. 27 and 28 N., Rs. 50 and 51
 E., with brass cap mkd

	T28N	
R50E		R51E
S36		S31
<hr/>		
S1		S6

T27N
1930

Raise a mound of stone, 4 ft. base, 2 $\frac{1}{2}$ ft. high, S. of cor.
 Thence from the cor. of Ts. 27 and 28 N., Rs. 50 and 51 E.
 N. 89° 57' W., along S. bdy. sec. 36, T. 28 N., R. 50 E.
 Over rolling mountainous land
 Asc. gradual E. slope 1 ft. to
 .65 Spur, projects S. 10° E.
 Desc. W. slope 35 ft. to
 5.30 Draw, drains S. 10° E.
 Asc. E. slope 25 ft. to
 7.45 Spur, projects S. 10° E.
 Desc. gradual W. slope 40 ft. to
 18.95 Junction of two draws, drains SE. from N. 70° W. and
 NW.
 Gradual ascent of 75 ft. to