

## DEPENDENT RESURVEY EAST BOUNDARY OF T. 27 N., R. 50 E.

Chains	Desc. N. slope 20 ft. to
75.25	Draw, drains S. 10° E.
	Asc. S. slope 45 ft. to
79.70	Spur, projects S. 10° E.
	Desc. 2 ft. to
81.20	The cor. of Ts. 27 and 28 N., Rs. 50 and 51 E.
	Land, rolling bench land.
	Soil, sandy gravelly clay, 2nd and 3rd rate.
	Timber, none.
	Undergrowth, dense sage brush from 1 to 4 ft. high.
	General drainage, SE. Grazing, poor.

## DEPENDENT RESURVEY SOUTH BOUNDARY OF T. 27 N., R. 50 E.

REESTABLISHMENT OF SURVEYS EXECUTED BY  
BARKER AND BRIDGES, U. S. DEPUTY SURVEYORS,  
IN 1879

## Random lines

	From the cor. of Ts. 26 and 27 N., Rs. 50 and 51 E
	N. 89° 55' W., along S. bdy. sec. 36
40.07	Fall 45 lks. S. of the $\frac{1}{4}$ sec. cor., hereinafter described
	The bearing of this half mile therefore is N. 89° 16' W.,
	and the distance 40.07 chs.
	From the $\frac{1}{4}$ sec. cor.
	N. 89° 55' W., with continuous measurement
80.07	Find no trace of sec. cor.
	Thence on same line with continuous measurement along
	S. bdy. sec. 35
120.09	Fall 21 lks. S. of the $\frac{1}{4}$ sec. cor., hereinafter described
	The bearing of this mile therefore is N. 89° 46' W.,
	and the distance 80.02 chs.
	From $\frac{1}{4}$ sec. cor.
	N. 89° 55' W., along S. bdy. sec. 35
40.08	Fall 14 lks. S. of the sec. cor., hereinafter described
	The bearing of this half mile therefore is N. 89° 43' W.,
	and the distance 40.08 chs.

From the sec. cor.