

374

DEPENDENT RESURVEY OF THE W. BDY. OF T. 19 S., R. 56 E.

Chains
 39.70 Head of a small draw, drains N. 70° W.; asc. over gradual SW. slope.
 46.30 Low spur, projects N. 80° W. from S. 60° E.; desc. over a steep N. slope, through dense yellow pine.
 58.63 Corner No. 4 of Tract No. 42, hereinafter described.
 61.60 Dim road in bottom of dry wash, 50 lks. wide, 2 ft. deep, bears N. 80° W. and S. 80° E. along the bottom of Clark Canyon; asc. general S. slope 40 ft. through medium dense timber and undergrowth.
 72.50 Slope becomes steep; asc. 200 ft.
 78.405 Proportionate point for cor. of secs. 1 and 12, T. 19 S., R. 55 E., and angle point 3 of Tract No. 42
 Set an iron post, 3 ft. long, 2 ins. diam., 25 ins. in the ground, for the cor. of secs. 1 and 12 only, with brass cap mkd.

T19S
 S1
 ————
 S12
 R55E
 1933

S6

from which
 A pinon, 10 ins., bears S. 32-3/4° W., 192 lks. dist., mkd. T19SR55ES12BT.
 A juniper, 7 ins. diam., bears N. 32 1/2° W., 181 lks. dist., mkd. T19SR55ES1BT.

Land, rough mountainous.
 Soil, shallow; 2nd rate.
 Undergrowth, currant bushes, chaparrel, young timber, and juniper bushes.
 Timber, yellow pine, limber pine, fir, cedar, juniper and pinon.

N. 0°11' E., along the E. bdy. of sec. 1, T. 19 S., R. 55E.

Over mountainous land, through medium dense timber and undergrowth; asc. S. slope 230 ft.

5.20 Low spur, projects S. 75° W.; desc. 40 ft. along a NW. slope.
 8.40 Head of a ravine, drains S. 70° W.; asc. 200 ft.
 15.70 Spur, projects N. 80° W.; desc. 350 ft.
 26.90 Deep canyon, drains W.; asc. S. slope 1,000 ft. to township cor.
 39.545 Proportionate point for 1/4 sec. cor.,
 Set an iron post, 3 ft. long, 1 in. diam., 5 ins. in the ground to solid rock, and in a mound of stone and earth to top, for 1/4 sec. cor. of sec. 1 only, with brass cap mkd.

1/4 S1
 1933