

DEPENDENT RESURVEY EAST BOUNDARY OF T.20 N., R.25 E.

Chains

80.74 Fall 1.50 chs. E. of the $\frac{1}{4}$ sec. cor. bet. secs. 25 and 30 hereinafter described.
The bearing of the line connecting the $\frac{1}{4}$ sec. cor. bet. secs. 25 and 30 and the $\frac{1}{4}$ sec. cor. bet. secs. 19 and 24 therefore is N.1°04'E. and the proportionate distance for each half mile is 40.375 chs.

From the $\frac{1}{4}$ sec. cor. bet. secs. 25 and 30.
South.

40.34 Fall 16 lks. E. of the cor. of secs. 25, 30, 31, and 36 hereinafter described.
The bearing of this half mile therefore is N.0°14'E., and the distance is 40.34 chs.

From the cor. of secs. 25, 30, 31, and 36.

S.0°30'W., bet. secs. 31 and 36.

40.27 Fall 26 lks. W. of the $\frac{1}{4}$ sec. cor. hereinafter described.
The bearing of this half mile therefore is N.0°08'E., and the distance is 40.27 chs.

From point 26 lks. W. of the $\frac{1}{4}$ sec. cor., continue S.0°30'W., with continuous measurement.

80.53 Fall 53 lks. W. of the cor. of Tps. 19 and 20 N., Rs. 25 and 26 E., hereinafter described.
The bearing of this half mile therefore is N.0°07'E., and the distance is 40.26 chs.

True lines.

The cor. of Tps. 19 and 20 N., Rs. 25 and 26 E. is a volcanic stone, 22x16x12 ins., firmly set in a mound of stone, and marked with 6 notches on N., S., E., and W. edges.

At cor. point

Set an iron post, 3 ft. long, 3 ins. in dia., 27 ins. in the ground and stand original cor. monument alongside for cor. of Tps. 19 and 20 N., Rs. 25 and 26 E., with brass cap marked

T20N	
R25E	R26E
S36	S31
S1	S6

T19N
1931

raise a mound of stone, 3 ft. base, 2 ft. high, S. of cor.

Thence

N.0°07'E., bet. secs. 31 and 36.

Descend from low spur projecting NE., over rolling mountainous land through shadscale and short sagebrush undergrowth.