

DEPENDENT RESURVEY 4TH STAN. PAR. S., S. BDY. T. 16 S., R. 69 E.

Chains

cacti.
No timber.
Poor grazing.

East, along the S. bdy. of sec. 36, on a transit line, describing the secant, which bears S. 89°58.7' E.

Over rolling hills, through scattering undergrowth; gradually asc. a gentle NW. slope 40 ft.

4.40 ~~Small, spur projecting from the S. desc. 20 ft.~~

6.10 Draw, drains NW. 3 chs.; thence abruptly W; asc. 110 ft. over a W. slope.

12.20 Spur, projects N. 85° W.; desc. 35 ft. along a NE. slope.

17.20 Draw, drains NW.; heading about 8 chs. SE.; asc. 175 ft. over an abrupt W. slope.

22.60 Spur, projects NW.; desc. 80 ft. over a steep N. slope.

34.40 Draw, drains NW.; asc. 45 ft. along a NW. slope.

Diff. bet. meas. of 40.00 chs., by two sets of chainmen is two lks.; position of middle point:

By 1st set, 40.01 chs.

By 2nd set, 39.99 " ; the mean of which is:

40.00 N. 2 lks. from the secant,

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground for the reestablished standard $\frac{1}{4}$ sec. cor., with brass cap mkd.

SC
 $\frac{1}{4}$ S36.

1932

of stone, 4 ft. base, 3 ft. high, N. of the cor. raise a mound

Continue over rolling land; asc. 120 ft. along a NW. slope.

70.10 Top of ascent of a N. slope; desc. 25 ft.

74.00 Gulch, drains NW.; asc. 50 ft.

Diff. bet. meas. of 80.00 chs., by two sets of chainmen, is nothing.

80.00 N. 4 lks. from the secant,

Set an iron post, 3 ft. long, 3 ins. diam., 4 ins. in the ground to solid rock, over a cross (X) and in a mound of stone for the reestablished standard cor. of Tps. 16 S., Rs. 69 and 70 E., with brass cap mkd.

SC
T16S
R69E | R70E
S36 | S31

1932