

COMPLETION OF THE SUBDIVISION OF T. 11 N., R. 44 E.

Chains

Set an iron post, 3 ft. long, 1 in. diam., 32 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 3 only, with brass cap mkd.

$\frac{1}{4}$ S 3
1936

raise a mound

of stone, 3 ft. base, 2 ft. high, E. of cor.

42.68

Set an iron post, 3 ft. long, 1 in. diam., 32 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 4 only, with brass cap mkd.

$\frac{1}{4}$ S 4
1936

raise a mound

of stone, 3 ft. base, 2 ft. high, W. of cor.

43.60

Ungraded road bears S. 70° W. and N. 70° E.

45.70

Wash, course S. 70° W.

58.70

Wash, 10 lks. wide, course N. 85° W.

61.20

Wash, 15 lks. wide, course N. 80° W.

68.90

Wash, 90 lks. wide, course W.

78.47

Latitudinal distance of 80.00 chs. from the closing cor. of secs. 3 and 10.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of lots 4 and 5 of sec. 3 only, with brass cap mkd.

T11NR44E
S4 | $\frac{4}{5}$ S3
1936

raise a mound

of stone, 3 ft. base, 2 ft. high, E. of cor.

85.84

Intersect S. bdy. of T. 12 N., R. 44 E.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground for closing cor. of secs. 3 and 4, with brass cap mkd.

T12NR44E
S34
S4 | S3
T11NR44E
CC
1936

raise a mound

of stone, 3 ft. base, 2 ft. high, S. of cor.