

156

18

DEPENDENT RESURVEY S. BDY. T. 17 S., R. 63 E.

Chains

- high, facing E., bears SW. and NE.; continue ascent along top of spur projecting from the west.
- 39.25 Proportionate point for $\frac{1}{4}$ sec. cor. of sec. 31 falls on insecure ground on rocky E. slope where it is impracticable to establish corner.
- 39.83 Saddle in rocky, narrow-topped spur ridge, projecting S. 20° E. from N. 20° W.
- At this point on crest of spur,
- Set an iron post, 3 ft. long, 1 in. diam., 4 ins. in the ground to solid rock over a cross (X), deposited at exact point and with a limestone $8 \times 6 \times 3$ mkd. cross (X) at base, in a large mound of stone, for the witness $\frac{1}{4}$ sec. cor. of sec. 31 only, with brass cap mkd.
- S31
W.
C
1933
- Desc. abrupt W. slope 100 ft.
- 44.10 Rocky ravine, course S. 10° E.; asc. broken NE. slope, 120 ft.
- 50.40 Spur, projects S. 20° E. from NW., along broken SW. slope; desc. 40 ft.
- 56.70 Small draw, drains SE.; asc. 120 ft. over SE. slope.
- 63.60 Small rocky spur, projects SE. about 8 chs.; asc. over broken SE. slope 240 ft. to cor.
- 68.20 Small draw, drains SE.
- 76.93 The cor. of Tps. 17 and 18 S., Rs. 62 and 63 E.
- Land, broken and rough mountainous.
Soil, shallow, coarse rocky loam, 3rd and 4th rate.
Undergrowth, creosote, cacti, buckbrush.
No timber.
- SUBDIVISION OF T. 18 S., R. 63 E.
- From the cor. of secs. 1, 2, 35, and 36, on the S. bdy. of the Tp., which is an iron post 3 ins. diam., marked and witnessed as described in Book "A", this group.
- N. $0^\circ 04'$ E., bet. secs. 35 and 36.
- Over broken mountainous land, through medium dense undergrowth, along gravelly S. slope.
- 6.10 Small spur, projects W.; desc. 40 ft. over N. slope.
- 9.90 Small draw, drains W.; asc. 60 ft. over broken SW. slope.
- 11.90 Spur, projects W. about 5 chs., then turns abruptly NE.
- 19.00 Same spur, projects N. 15° E.; desc. 90 ft. along rocky W. slope.
- 30.50 Foot of slope entering broad flat bottom bears N. 70° W. and SE., continues across bottom.
- 35.10 Dry wash 10 lks wide, 2 ft. deep, course N. 60° W.; asc. SW. slope 40 ft.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground to solid rock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.