

SUBDIVISION OF T. 18 S., R 63 E.

Chains

West, on true line bet. secs. 6 and 7.

Asc. SE. slope of alluvial cone, through dense cacti.

5.80 Dry wash, 50 lks.wide, 2 ft. deep, drains S. 10° E., at base of hill, bearing N. and S. Leave dense cacti and continue through scattering creosote undergrowth.

Asc. rocky E. slope over small limestone ledges.


16.00 Spur, projects NE. 5 chs.; continue ascent of N. slope.

22.80 Top of ascent 430 ft. above wash; desc. broken NW. slope over a series of limestone ledges, bearing in a general NE. and SW. direction.

26.00 Top of major limestone ledge, 30 to 40 ft. high, facing NW., bears N. 30° E. and S. 30° W.

34.00 Foot of hill, 300 ft. below top, bears NE. and SW., enter bottom of broad draw.

40.00 Set an iron post 3 ft. long, 1 in. diam. 27 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.



raise a mound of stone 5 ft. base, 3 ft. high, NE. of cor.

This corner is situated in small wash, draining N. 70° E. and near the S. side of bottom of draw.

A low saddle in ridge, bearing E. and W., bears SE. 5 chs. dist.

42.80 Leave bottom of draw, course S. 70° E.; asc. over rocky N. slope.


64.60 Small rocky gully, drains NE.

69.71 Intersect W. bdy. of Tp., S. 4.16 chs. dist. from the cor. of secs. 1 and 12, which is an iron post 2 ins. diam., marked and witnessed, as heretofore described.

At point of intersection,

On rocky N. slope, 300 ft. above 1/4 sec. cor.,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for the closing cor. of secs. 6 and 7, with brass cap mkd.



raise a mound of stone 5 ft. base, 3 ft. high, E. of cor.

Land, mountainous, and broken hills. Soil, very shallow, rocky; 3rd and 4th rate. Undergrowth, creosote and cacti. No timber.