

INDEPENDENT RESURVEY, 3RD STAN. PAR. S., S. BDY. T12S R71E

chains

Set an iron post, 3 ft. long, 2 ins. in diam., 27 ins. in the ground, for the standard cor. of secs. 32 and 33, with brass cap mkd.:

SC

T12S R71E
S32 | S33

1934

Deposit a limestone, 3x4x6 ins. mkd. cross (X) at base of post.

Land, broken badlands.

Soil, deep sandy clay 3rd. rate

Undergrowth, greasewood, cacti and mountain rush.

No timber.

East, along the S. bdy. of sec. 33, on a transit line describing the secant, which bears N. 89° 59.5' E.

Over broken badlands through scant undergrowth.

Ascend 140 ft. over a west slope.

22.10 Rim, of a badly eroded mesa, bears North and South.

Continue ascent 105 ft over numerous small spurs projecting, and small draws draining, South, to 80.00 chs.

Diff. bet. meas. of 40.00 chs. by two sets of chainmen is nothing.

40.00 S. 3 links from the secant,

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for the standard $\frac{1}{4}$ sec. cor., with brass cap mkd.:

SC

S33

1934

raise a mound of stone, 3 ft base, 1 $\frac{1}{2}$ ft. high, North of cor.

Diff. bet. meas. of 80.00 chs. by two sets of chainmen is nothing.

80.00 S. 3 links from the secant,

Set an iron post, 3 ft. long, 2 ins. in diam., 27 ins. in the ground, for the standard cor. of secs. 33 and 34, with brass cap mkd.:

SC

T12S R71E
S33 | S34

1934

Deposit a limestone, 6x6x4 ins. mkd. cross (X) at the base of the post.

Land, broken badlands.

Soil, sandy clay 3rd. rate.

Undergrowth, greasewood, cacti and creosote.

No timber.