

INDEPENDENT RESURVEY OF THE RANGE LINE THROUGH T. 14 S., BETWEEN RS. 70 AND 71 E.

Chains

North, bet. secs. 1 and 6.

Over rolling alluvial slopes, through medium dense undergrowth; descend 60 ft. to the 80.00 ch. point over a gradual N. slope.

5.10 Wash, 3. 50 chs. wide and 20 ft. deep, drains NW.

13.20 Wash. 1.50 chs. wide and 10 ft. deep, drains NW.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for the 1/4 sec. cor., with the brass cap mkd.

1/4

S1 | S6

1934

raise a mound of stone, 3 ft. base, 1 1/2 ft. high, W. of cor.

80.00 Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground, for the cor. of Tps. 13 and 14 S., Rs. 70 and 71 E., with the brass cap mkd.

T13S

R70E R71E

S36 | S31

S1 | S6

T14S

1934

raise a mound of stone, 5 ft. base, 2 1/2 ft. high, S. of cor.

Land, rolling alluvial slopes. Soil, sandy clay loam; 3rd rate. Undergrowth, cacti, creosote and greasewood. Grazing, fair. To timber.

INDEPENDENT RESURVEY OF THE RANGE LINE THROUGH T. 13 S., BETWEEN RS. 70 AND 71 E.

Beginning at the cor. of Tps. 13 and 14 S., Rs. 70 and 71 E., heretofore described.

Thence

North, with the establishment of the range line through T. 13 S., Rs. 70 and 71 E., bet. secs. 31 and 36.

Over rolling alluvial slopes, across numerous draws draining NW., through medium dense undergrowth; descend 25 ft. over a NE. slope.

5.00 Draw, drains N. 30° W.; ascend 30 ft. along a SW. slope.

14.20 Spur, projects N. 30° W.; descend 60 ft. over a broken N. slope.