

EAST BOUNDARY OF T. 32 N., R. 68 E.

Chains	
8.50	Wash, 40 lks. wide, course N. 70° E.; asc. 50 ft. along an E. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S12 S7 1938
	from which
	A granite boulder, 4x3x3 ft. above ground, the highest point of which bears S. 26 $\frac{3}{4}$ ° E., 86 lks. dist., mkd. S7 X BO.
	Raise a mound of stone, 3 $\frac{1}{2}$ ft. base, 2 $\frac{1}{2}$ ft. high, W. of cor.
40.40	Road, bears E. and W.
43.50	Wash, 10 lks. wide, course N. 70° E.; top of ascent, bears E. and W. desc. 70 ft. along an E. slope.
60.10	Shallow wash, course N. 70° E.
62.20	Spur, slopes E.; desc. 40 ft. along an E. slope.
69.70	Main wash, 30 lks. wide, course S. 75° E.; asc. 110 ft. along a SW. slope.
76.40	Shallow draw, drains S. 15° E.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 15 ins. in the ground, to bedrock, with a granite stone, 10x5x4 ins. mkd. X, deposited at base, and in a mound of stone to top, for the cor. of secs. 1, 6, 7 and 12, with brass cap mkd.
	T32N R68E R69E S 1 S 6 S12 S 7 1938
	from which
	A pine, 10 ins. diam., bears N. 8 $\frac{1}{2}$ ° E., 27 lks. dist., mkd. T32N R69E S6 BT.
	A pine, 4 ins. diam., bears N. 28 $\frac{1}{2}$ ° W., 41 lks. dist., mkd. T32N R68E S1 BT.
	Raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
	Land, rolling. Soil, rocky clay, 3d rate. Timber, pine and juniper; undergrowth, sagebrush and shadscale.
	North, bet. secs. 1 and 6. Asc. 480 ft. over mountainous land, along a SW. slope, thru scattering timber and undergrowth.
25.00	Ridge, bears N. 30° W. and S. 30° E.; desc. 370 ft. over a NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., over a cross X, on a limestone cliff, and in a mound of stone to top, for the $\frac{1}{4}$ sec. cor. with brass cap mkd.