

## SUBDIVISIONS T. 11 N., R. 33 E.

Chains N. 0° 01' W., between secs. 2 and 3  
 Over rolling land  
 General descent of 20 ft. to closing cor.

40.00 Set an iron post, 3 ft. long, 1 in. dia., 27 ins. in the  
 ground, for the  $\frac{1}{4}$  sec. cor., with brass cap mkd

$\frac{1}{4}$

S3 S2

1931

Dig two pits, 18 ins. square, 12 ins. deep, crosswise on  
 line, N. and S. of cor.

67.50 Intersect N. bdy. of twp., 12.03 chs. W. of the original  
 cor. of secs. 2, 3, 34, and 35, which is a 2 in. iron  
 post, firmly set in the ground, properly mkd and

witnessed. I remark same to read

T12NR33E

S34 S35

S2

T11NR33E

1931

Raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, N. of cor.

At point of intersection

Set an iron post, 3 ft. long, 2 ins. dia., 27 ins. in  
 the ground, for the closing cor. of secs. 2 and 3,

with brass cap mkd

T12NR33E

S 34

S3 S2

T11NR33E

CC

1931

Raise a mound of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, S. of cor.

Land, rolling, Soil, heavy sandy loam, 3rd rate.

Timber, none. Undergrowth, sage, greasewood.

General drainage, NW. Grazing, poor.