DEPENDENT RESURVEY, PORTION OF N. BDY. T. 21 N., R. 54 E.

Chains The original cor. of secs. 5, 6, 31 and 32, which is a basalt rock 16x5x6 ins., firmly set, marked and witnessed as described in the official record. 40.25 At point for cor. Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with the original stone deposited at the base, for cor. of secs. 5 and 6 only, with brass cap mkd. T21 N S31 S6 S5 T21N R54E 1936 dig pits, 18x18x12 ins., SE. and SW. of post, 3 ft. dist. Land, nearly level. Soil, sandy to gravelly clay loam, 2nd rate. No timber. Undergrowth, sagebrush, rabbit brush. Grazing, fair. N. 89° 55° W., along the N. bdy. of sec. 6, Over nearly level land, through dense low undergrowth. A point 40.00 chs. in departure from cor. of secs. 31 37.55 and 32. Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 4 sec. cor. of sec. 31 only, with brass cap mkd. \$ S31 1936 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist. The original ½ sec. cor. of secs. 6 and 31, which is a limestone, 7x8x12 ins., firmly set, marked and witnessed as described in the official record. 40.27 At point for cor. Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 2 sec. cor., of sec. 6 only, with brass cap mkd. ± 56 1936 dig pits, 18x18x12 ins., E. and W. of post, 3 ft. dist. Thence N. 89° 59' W.,

The cor. of Tp. 21 N., Rs. 53 and 54 E., which is an iron post, 3 ins. diam., marked and witnessed as described in the official record; field notes of the survey of T. 21 N., R. 53 E.

As this cor. will also refer to T. 212 N., R. 54 E., I