

## INDEPENDENT RESURVEY EAST BOUNDARY OF T.21 S., R.65 E.

Chains

## INDEPENDENT RESURVEY EAST BOUNDARY OF T.21 S., R. 65 E.

INDEPENDENT RESURVEY, SUPERSEDING THE SURVEY  
EXECUTED BY T. A. MAGEE, U. S. DEPUTY  
SURVEYOR IN 1882.

In order to establish the cor. of T.21 S., Rs. 65 and 66 E., I begin at the true point for the standard cor. of T.20 S., Rs. 65 and 66 E. which is 3.24 chs. East of the witness cor. to said Tp. cor. as established by me under this group; thence

East.

Ascend abruptly over rough mountainous land through scattered creosote and chaparral undergrowth.

2.10 High rocky spur, 75 ft. above Tp. cor., projects S.20°E. about 110 chs. distant to end; descend abruptly over barren rocky E. slope 165 ft. to

5.90 Gulch, drains S.30°E.; ascend abruptly 310 ft. over rocky W. slope.

15.40 Top of high ledge point or spur, projects S.30°W. about 8 chs. distant to end; descend.

16.33 The line to the E. strikes a cliff about 200 ft. high facing S. and bearing N.70°E. and SW.; to pass cliff I offset as follows:

South, 1.77 chs., then on offset line

East; 12.03 chs., then

North; 1.77 chs. to true line at

28.36 An easting of 80.00 chs. from the closing cor. of secs. 1 and 2, T.21 S., R.65 E.

Set an iron post, 3 ft. long; 3 ins. in dia., 20 ins. in the ground on solid rock and supported by a mound of stone for cor. of T.21 S., Rs. 65 and 66 E.; with brass cap marked

T20SR66E

S31

S1	S6
R65E	R66E

T21S  
1931

raise a mound of stone, 4 ft. base, 3 ft. high, S. of cor.

Cor. stands on steep S. slope 330 ft. below spur at 15.40 chs.

From this Tp. cor., I run South on a blank line to an intersection with a line projected East from the cor. of secs. 13, 14, 23, and 24, T.21 S., R.65 E., at which point,