

INDEPENDENT RESURVEY OF SUBDIVISION, T. 21 S., R. 65 E.

Chains	
63.80	Top of lower rim of mesa facing E., bears N. 30° W., and SE., 5.00 chs. dist., thence W.; descend abrupt E. slope.
74.40	Draw, 450 ft. below mesa, drains SE.; ascend abrupt rocky SW. slope.
80.02	The cor. of secs. 5, 6, 7, and 8, 35 ft. above draw. Land, broken and mountainous, with a general southerly exposure and drainage. Soil, shallow clay with rock; volcanic formation; 3rd rate. Undergrowth, shadscale, creosote, and greasewood. No timber.
	N. 0°01' E., bet. secs. 5 and 6.
	Ascend abrupt SW. slope of broken, rocky, mountainous land; through scattered undergrowth.
4.50	Slope changes from SW. to W. slope.
15.00	Head of shallow draw, drains SW.
18.00	Top of divide ridge, 75 ft. above cor., bears NW. and SE.; Descend gradual N. slope.
19.80	Head of draw, 40 ft. below ridge, drains NW.; thence descend gradually along broken NW. slope.
35.30	Intersect the fifth standard parallel south, R. 65 E., East, 28.51 chs. dist. from the standard cor. of secs. 31 and 32; which is an iron post, 2 ins. diam., firmly set, marked and witnessed as described in book "A" of this group. At point of intersection; on N. slope in E. edge of bottom of small draw, 210 ft. below ridge, drains NE. Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 5 and 6, with brass cap marked.
	T20S, R65E. S32
	S6 S5 T21S R65E C C
	1931
	raise a mound of stone, 5 ft. base, 3 ft. high, S. of cor. Land, broken and mountainous, with a general southeasterly exposure and drainage. Soil, shallow clay, sandy and gravelly, with rock; volcanic formation; 3rd rate. Undergrowth, shadscale, creosote, and greasewood. No timber.