

INDEPENDENT RESURVEY OF SUBDIVISION, T. 21 S., R. 65 E.

Chains

- 80.04 The cor. of secs. 1, 2, 11, and 12, 20 ft. below spur.
Land, broken and mountainous; general south and southeast exposures and drainage.
Soil, rocky, sandy, and gravelly, with clay; conglomerate and volcanic formation; 3rd rate.
Undergrowth, creosote and shadscale.
No timber.

- N. 0°03' E., bet. secs. 1 and 2.
Ascend abrupt rocky S. slope of broken mountainous land, through very scattered undergrowth.
- 5.10 High rocky ridge, 155 ft. above cor., bears SW., and NE. 2.00 chs. to rocky point, thence N.; ascend gradually along W. slope of ridge.
- 10.25 Recross ridge, bears N. 20° W. and S. 20° E.; descend gradually along E. slope of ridge.
- 12.70 Recross ridge, N. 20° E. and S. 20° W.; descend gradually along abrupt W. slope.
- 18.00 Depression of W. slope, 100 ft. below ridge, drains W.; ascend abrupt S. slope.
- 25.70 Sharp ledgy spur, 155 ft. above depression, projects W.; descend abrupt NW. slope.
- 31.20 Gulch, 110 ft. below spur, drains SW.; ascend abrupt rocky E. slope.
- 35.40 Intersect the fifth standard parallel south, R. 65 E., East, 28.36 chs. dist. from the standard cor. of secs. 35 and 36; an iron post, 3 ft. long, 2 ins. diam., firmly set, marked and witnessed as described in the official records, book "A" of this group.
Point of intersection falls on E. face of small ledge, 100 ft. above gulch, where it is impossible to set a cor. Therefore, at a point, 32 lks. W. of the true cor. point.
Set an iron post, 3 ft. long, 2 ins. diam., 18 ins. in the ground to bedrock and in a mound of stone to top, for witness cor. to the closing cor. of secs. 1 and 2, with brass cap marked.
T20S R65E
S36 WC
S2 S1
T21S R65E
C C
1931
deposit a volcanic stone, 6 x 6 x 4 ins., at base of post, marked with a cross (X).
Land, broken and mountainous, with a general easterly and westerly exposure and drainage.
Soil, rocky; sandy, and gravelly; conglomerate formation; 3rd rate.