BOULDER CANYON PROJECT FEDERAL RESERVATION BOUNDARY

Chains

S.37°15'W., 6.80 chs. To true point for the meander cor. of secs. 29 and 32, East, 67 lks. dist. from the witness cor. to said cor. described in Book "C", this group.

Thence in sec. 32.

S.29°15'W., 8.64 chs. To true point for the meander cor. of secs. 31 and 32, S.0001 W., 1.85 chs. distant from the witness cor. to said cor. described in Book "C", this group.

Thence in sec. 31.

5.41°45'W., 6.80 chs.

S.33°15'W., 9.40 chs.

S.30°00'W., 9.20 chs.

S.42°00'W., 6.60 chs.

S.9°45'W., 3.10 chs.

S.12°15'W.,11.80 chs.

S.11°15'W., 7.00 chs.

S.8000'W., 7.70 chs.

S.0°15 W., 8.40 chs. teve potet for the

S.2°15'W., 9.20 chs.

To true point for the meander cor. of T.21 S., R.65 E.; from this point the witness cor. to said meander cor bears West, 82 lks. dia., firmly set, and marked and witnessed as described in the official record.

MEANDERS OF THE RIGHT BANK OF THE COLORADO RIVER, T.22 S.,R.65 E.,M.D.M., AS SURVEYED BY CARL S. SWANHOLM, U.S.CADASTRAL ENGINEER IN 1930, UNDER GROUP 161, NEVADA; PLAT OF SURVEY APPROVED OCTOBER 8, 1930:

From the true point for the meander cor: of secs. 6 and 31 on the N. bdy. of the Tp., East, 82 lks. distant from the witness meander cor., heretofore described,

Thence with meanders in sec. 6.

5.5° 08'W., 2.64 chs.

S.7° 30'W., 2.00 chs.

S.17°00'W., 8.50 chs.