

DEPENDENT RESURVEY EAST BOUNDARY OF T.8 N., R.31 E.

Chains

The bearing of this half mile therefore is N.0°31'E., ✓  
and the distance is 40.58 chs. ✓

From the cor. of secs. 25, 30, 31, and 36.

South, bet. secs. 31 and 36.

40.96 Fall 11 lks. E. of the 1/4 sec. cor. hereinafter described.  
The bearing of this half mile therefore is N.0°09'E., ✓  
and the distance is 40.96 chs. ✓


From point 11 lks. E. of the 1/4 sec. cor., continue  
South, with continuous measurement.

80.67 Fall 1 lk. W. of the cor. of Tps. 7 and 8 N., Rs. 31  
and 32 E. hereinafter described.  
The bearing of this half mile therefore is N.0°10'W., ✓  
and the distance is 39.71 chs. ✓

True lines.

The cor. of Tps. 7 and 8 N., Rs. 31 and 32 E. is a  
granite stone, 18x12x10 ins., standing in an old mound  
of stone, and marked with 6 notches on N., S., E., and W.  
edges.

At cor. point,  
Set an iron post, 3 ft. long, 3 ins. in dia., 10 ins.  
in the ground on solid rock with original cor. monument  
buried alongside and surrounded by a large mound of  
stone for cor. of Tps. 7 and 8 N., Rs. 31 and 32 E.,  
with brass cap marked



T7N  
1931

Thence

N.0°10'W., bet. secs. 31 and 36.

Along W. slope over broken mountainous land through  
scattered short undergrowth.

.75 Low spur, projects W.; descend rocky NW. slope.

5.75 Head of draw, 50 ft. below spur, drains W. about 10  
chs., thence N.; gradually ascend.

10.75 Spur, 15 ft. above draw, projects W.; descend abruptly  
over N. slope.

21.35 Ravine, 315 ft. below spur, drains NE.; ascend abruptly.

29.25 Spur, 120 ft. above ravine, projects E.; descend along  
rocky E. slope.

35.50 Base of descent on rocky E. slope, 85 ft. below spur;  
ascend.

39.71 The 1/4 sec. cor. which is a volcanic stone, 24x10x8 ins.