


DEPENDENT RESURVEY OF A PORTION OF THE W. BDY. T. 11 N., R. 46 E.

Chains

Set an iron post, 3 ft. long, 3 ins. diam., 16 ins. in the ground to bed rock, with the original stone deposited at the base, and in a mound of stone to top, for cor. of Tps. 11 and 12 N., Rs. 45 and 46 E., with brass cap mkd.



Land, rolling mountainous.
Soil, light sandy and gravelly and rocky; 3rd rate.
Timber, pinon pine, juniper; undergrowth, sagebrush, buckbrush and a fair growth of grass.

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONS OF T. 11 N., R. 46 E.

Reestablishment of a portion of the subdivisions of T. 11 N., R. 46 E., executed by Don H. Barker, Deputy Surveyor, in 1874.

Beginning at the reestablished standard cor. of secs. 32 and 33, heretofore described.

N. 1° 20' E., bet. secs. 32 and 33.


Over rolling mountainous land, through dense undergrowth, and scattering timber, desc. 70 ft.

15.70 Wash, drains N. 30° E.; desc. 25 ft.

22.20 Main wash, drains N. 65° E.; desc. 30 ft.

39.79 Proportionate distance; all trace of the original $\frac{1}{4}$ sec. cor. has disappeared.

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.



from which

A juniper, 5 ins. diam., bears S. 67° E., 184 lks. dist., mkd. $\frac{1}{4}$ S 33 B T.

A pinon pine, 7 ins. diam., bears S. 89 $\frac{1}{2}$ ° W., 100 lks. dist., mkd. $\frac{1}{4}$ S 32 B T.

Desc. 15 ft.

43.00 Wash, drains N. 55° E.; desc. 10 ft.

51.00 Wood road, bears NE. and SW.; desc. 45 ft.

60.00 Spring branch, 6 lks. wide, clear water, 1 ins. deep, course N. 25° E.; desc. 20 ft.

65.80 Wash, drains N. 20° E.; desc. 20 ft.

79.58 Intersect the original cor. of secs. 28, 29, 32 and 33, which is a