

146

SUBDIVISIONS OF T. 11 N., R. 49 E.

Chains	
	From the cor. of secs. 5, 6, 7 and 8.
	North, on true line on a Sectional Guide Meridian, bet. secs. 5 and 6
	Over rolling mountainous land, through scattering timber and dense undergrowth, desc. 15 ft.
3.00	Head of wash, course S. 70° E.; asc. 20 ft.
13.00	Top of spur, projects N. 70° E.; desc. 65 ft.
27.50	Road, bears NE. and SW.;
31.70	Edge of bluff, bears N. 80° E. and S. 80° W.; desc. 20 ft.
32.60	Irrigating ditch, 5 lks. wide, 6 ins. deep, course N. 80° E.; desc. 25 ft.
34.50	Clear Creek, 10 lks. wide, clear water, 4 ins. deep, course N. 80° E.
37.00	Dry channel, course N. 80° E.; asc. 45 ft.
39.50	Road, bears N. 80° E. and S. 80° W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 6 S 5 1938 from which
	A pinon pine, 23 ins. diam., bears N. 60 $\frac{1}{2}$ ° E., 42 lks. dist., mkd. $\frac{1}{4}$ S 5 B T.
	A pinon pine, 5 ins. diam., bears S. 66 $\frac{1}{2}$ ° W., 36 lks. dist., mkd. $\frac{1}{4}$ S 6 B T.
	Asc. 25 ft.
48.70	Top of spur, projects E.; desc. 5 ft.
53.70	Dim wood road, bears E. and W.
57.80	Wash, course E.; asc. 40 ft.
75.92	Intersect the N. bdy. of the Tp.
	Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, for closing cor. of secs. 5 and 6, with brass cap mkd.
	T12N R49E S31 S 6 S 5 T11N R49E CC 1938 from which
	A pinon pine, 15 ins. diam., bears S. 47 $\frac{1}{2}$ ° E., 50 lks. dist., mkd. T 11 N R 49 E S 5 C C B T.
	A pinon pine, 8 ins. diam., bears S. 40 $\frac{1}{2}$ ° W., 27 lks. dist., mkd. T 11 N R 49 E S 6 C C B T.
	From this closing sec. cor., the cor. of secs. 31 and 32, on the S.