

SURVEY OF THE E. BDY. OF T. 16 N., R. 45 $\frac{1}{2}$ E.

Chains

7 and 12, with brass cap mkd.

T16N	
R45 $\frac{1}{2}$ E	R46E
S1	S6
S12	S7

1937

Land, broken hilly to mountainous.
 Soil, shallow rocky loam; 3rd and 4th rate.
 Undergrowth, sagebrush, shadscale.
 Timber, very scattering piñon pine and juniper.
 Grazing, poor.

North, bet. secs. 1 and 6.

Over rolling mountainous land thru medium dense low undergrowth.
 Desc. 60 ft. over NE. slope.

5.20 Drain, course N. 75° W.

8.10 Spur, slopes W.

10.10 Drain, course SW.

14.90 Drain, course S. 70° W.

28.90 Draw, drains W.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$	
S1	S6
1937	

of stone, 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor. raise a mound

41.30 Drain, course S. 60° W.; asc. 170 ft. along a broken S. slope, to ridge.

61.30 Head of draw, drains S. 70° W.

64.40 Ridge, bears W. and E.; desc. 220 ft. over abrupt NW. slope.

70.10 Head of draw, drains N. 70° W.; along a broken W. slope.

78.20 A point West of the cor. of Ts. 16 and 17 N., Rs. 46 and 47 E.

Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground,
 for cor. of Tps. 16 and 17 N., Rs. 45 $\frac{1}{2}$ and 46 E., with brass cap mkd.

T17N	
R45 $\frac{1}{2}$ E	R46E
S36	S31
S1	S6
T16N	
1937	

raise a mound