Chains 27.00	Enter white sage flat, bears E. and W.
30.00	Leave white sage flat, continue through other varieties of brush, bears E. and W.
39.80	Intersect the original cor. of secs. 1, 6, 7, and 12, which is granite stone, 10x10x3 ins., 4 ins. above the ground, firmly set, mkd. with 5 grooves on S. and 1 groove on N. faces.
	At point for cor.
met a si	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with the original stone deposited at the base, for cor. of secs. 1 and 12 only, with brass cap mkd.
ion at the	T 16 N R47E R48E S1 S7
	<u>s1</u> s7
30	1937
	of stone, 2 ft. base, $1\frac{1}{2}$ ft. high, W. of cor.
	Land, rolling.
A) establish	Soil, sandy, gravelly and rocky; 3rd rate. Timber, none; undergrowth, white sage, black sage, shadscale and a scant growth of grass.
	N. 1° 00' E., along the E. bdy. of sec. 1.
	Over rolling land, through dense undergrowth, asc. gradually along W. slope.
6.60	Enter white sage flat, bears E. and W.
20.00	Leave white sage flat, bears E. and E.; continue through dense undergrowth; asc. 15 ft.
39.76	Intersect the original $\frac{1}{4}$ sec. cor., which is a granite stone, $12x10x^{14}$ ins., 8 ins. above the ground, firmly set, mkd. $\frac{1}{4}$ on W. face.
	At point for cor.
	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with the original stone deposited at the base, for \$\frac{1}{2}\$ sec. cor. for sec. 1 only, with brass cap mkd.
Art .	1 s 1
	1937 raise a mound
	of stone, 2 ft. base, 12 ft. high, W. of cor.
1970	Thence
Contract	N. 0° 47° E.
	Asc. 30 ft. along rolling W. slope.
39.41	Intersect the original cor. of Tps. 16 and 17 N., Rs. 47 and 48 E., which is a decayed weatherbeaten post, 3 ins. sq., 3 ft. long, lying on the ground alongside a small mound of earth and stone, markings on post, not readable. All traces of pits have disappeared.
	At point for cor.
in .	Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the ground,

10