

T. 10 N., R. 30 E.

Chains

For description of instruments, tests of instruments and observations, see Book "A" this group, T. 9 N., R. 31 E.

THE COMPLETION OF THE SURVEY OF THE SOUTH BOUNDARY OF T. 10 N., R. 30 E.

Beginning at the meander cor. of fractional secs. 5 and 32 on the N. bdy. of T. 9 N., R. 30 E., which is an iron post, 1 in. diam., firmly set, properly mkd. and witnessed as described in the official record for the survey of T. 9 N., R. 30 E., Group 54 Nevada. This cor. is West 25.20 chs. dist. from the cor. of secs. 4, 5, 32, and 33.

Due to the recession of the waters of Walker Lake, it is necessary to extend the S. bdy. to the present mean high water mark.

From the foregoing meander cor., the marks of which I alter, as follows:

MC / S5
T9NR30E
1917

West, on true line with the extension of the survey along the S. bdy. of sec. 32, T. 10 N., R. 30 E., with continuous measurement.

Over slight W. slope of old lake bottom.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 32 only, with brass cap mkd.

$\frac{1}{4}$ S32
1934

raise a mound of stone, 3 ft. base, 1 1/2 ft. high, N. of the cor.

43.37 Intersect the present mean high water mark of Walker Lake.

Set an iron post, 3 ft. long, 3 ins. diam., 20 ins. in the ground, for the meander cor. of fractional sec. 32 on the S. bdy. of the township.

MC / T10N
R30E
S32
1934

raise a mound of stone, 3 ft. base, around the cor.

Land, nearly level; bottom of Walker Lake.
Soil, sandy; 3rd rate.
Undergrowth, none.
Timber, none.
Grazing, poor.

SURVEY OF THE EAST BOUNDARY OF T. 10 N., R. 30 E.

Beginning at the cor. of Tps. 9 and 10 N., R. 30 E., which is an iron post, 3 ins. diam., firmly set in the