

SUBDIVISION OF T. 15 N., R. 28 E.

Chains	slope 120 ft.
4.60	Wash, course S. and SW., asc. 140 ft. along an E. slope, which changes to S. slope.
17.00	End of asc., begin to desc. 110 ft. over SW. slope.
29.80	Wash, course S. 50° E., asc. 40 ft. over an E. slope.
39.93	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	S 1
	$\frac{1}{4}$
	S 12
	1937
	raise a mound of stone, 2 ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
	Continue to asc. 140 ft. over E. slope.
41.70	Fence, bears N. and S.
52.90	Divide, bears N. and S., desc. 90 ft. over broken W. slope.
58.40	Wash, course S. 40° E.
79.86	The cor. of secs. 1, 2, 11 and 12.
	Land, broken and mountainous. Soil, sandy and rocky, 4th rate. No timber; undergrowth, shadscale and rabbitbrush. Grazing, poor.
	N. 0° 01' W., bet. secs. 1 and 2.
	Over broken mountainous land through scattered undergrowth, asc. 210 ft. over S. and SW. slopes.
28.00	Divide, rises to NW. and bears SE., desc. 30 ft. over N. slope.
35.20	Canyon, course S. 80° E., asc. steep S. slope 130 ft.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground, with a lava rock 2x4x8 ins., mkd. X, deposited at the base and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$
	S 2 S 1
	1937
	Continue to asc. steep S. slope 170 ft.
48.00	Spur, slopes E. 10 chs. to knoll, desc. 190 ft. over N. slope.
56.90	Drain, course S. 75° E., asc. steep rocky S. slope 390 ft.
70.50	Slope changes to gentle S. slope, asc. 10 ft. to cor.
71.28	Intersect Third Standard Parallel North.
	Set an iron post, 3 ft. long, 2 ins. diam., 14 ins. in the ground, with rock 3x4x5 ins., mkd. X, deposited at the base and in a mound of stone to top, for closing cor. of secs. 1 and 2, with brass cap mkd.