

## SUBDIVISION OF T. 15 N., R. 28 E.

Chains	N. 0° 02' W., bet. secs. 3 and 4.
	Over mountainous land through scattered undergrowth, asc. along steep S. slope 450 ft.
5.00	Wash, course S. 20° W.
20.70	Change to E. slope, continue to asc. 120 ft.
33.90	Divide in saddle, bears N. 60° E. and S. 50° W., continue along W. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 8 ins. in the ground, with lava rock 4x6x8 ins., mkd. X, deposited at the base and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$   
 S4 | S3  
 1937

	Continue along SW. slope, asc. 30 ft.
53.80	Top of spur, slopes N. 85° W., desc. NW. slope 320 ft. to closing cor.
71.10	Drain, course N. 80° W.
71.16	Intersect Third Standard Parallel North,
	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 3 and 4, with brass cap mkd.

T16N. R28E  
 S33  
 S 4 | S 3  
 T15N  
 CC  
 1937

raise a mound  
of stone, 2 ft. base,  $1\frac{1}{2}$  ft. high, S. of cor.

From the point of intersection the standard  $\frac{1}{4}$  sec. cor., sec. 33, T. 16 N., R. 28 E., bears east 18.28 chs. dist.; a 1 in. iron post firmly set, mkd. and witnessed as described in the field notes of the resurvey of the Third Standard Parallel North, executed under this group.

From this same point the standard sec. cor. of secs. 32 and 33, T. 16 N., R. 28 E., bears West 21.72 chs. dist.; a 2 in. iron post firmly set, mkd. and witnessed as described in the field notes of the resurvey of the Third Standard Parallel North, executed under this group.

Land, mountainous.  
Soil, sandy and rocky, 4th rate.  
No timber; undergrowth, shadscale and rabbitbrush.  
Grazing, poor.

From the cor. of secs. 32 and 33, on the S. bdy. of the Tp. herein-before described.

Thence

N. 0° 03' W., bet. secs. 32 and 33.

Over mountainous land through scattered undergrowth, asc. along rolling W. slope, 60 ft.